

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	757	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 13:50
S2	228	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 09:18
S3	37	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 09:25
S4	207	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 09:25
S5	38	"4001783".URPN.	USPAT	OR	ON	2004/03/30 09:33
S6	1946	(((((internal core) with interrupt) same ((external peripheral with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:01
S7	346	(((((internal core) with interrupt) same ((external peripheral) with interrupt)) same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 14:15
S8	3	(((((internal core) with interrupt) same ((external peripheral) with interrupt)) same ((adjust\$4 program\$5) adj priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 09:43
S9	64	(((((internal core) adj interrupt) same ((external peripheral) adj interrupt)) same (priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 12:06
S10	269	(interrupt same "priority encoder") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 14:45

S11	20	("performance counter interrupt") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 14:58
S12	349	("performance counter") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 15:03
S13	51	("performance counter" same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 15:29
S14	31	((("performance counter" same interrupt) and @ad< "20011012") not ((("performance counter interrupt") and @ad< "20011012"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/30 15:03
S15	41	("interrupt priority register") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 08:07
S16	21	("interrupt prioritizer") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 08:39
S17	75	((("sixteen "16" with "interrupt priorities")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 08:31
S18	4	((("sixteen "16" with "interrupt priorities" same ((four "4" with bit)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 08:40
S19	47	((("sixteen "16" with ("interrupt priorities" "interrupt levels")) same ((four "4" with bit)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 09:18
S20	52	(register with interrupt with privileged) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 09:35

S21	0	(register with interrupt with privileged same kernel) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 09:35
S22	5	(register with interrupt with privileged same kernel) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 10:01
S23	287	((eight "8") with ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 10:03
S24	68	((eight "8") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:06
S25	0	((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with ((core internal) adj interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:22
S26	3	((sixteen "16" nine "9") with ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") same ((core internal) adj interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:21
S27	3	((sixteen "16" nine "9") same (("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with ((core internal) adj interrupt))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:21
S28	15	((((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) same (core internal)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:23

S29	154	((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 13:57
S30	139	((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) and @ad< "20011012") not (((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) same (core internal)) and @ad< "20011012")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 11:26
S31	0	("first instruction" same "second instruction" same "third instruction" same interrupt same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 13:58
S32	1196	("first instruction" same "second instruction" same "third instruction") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 13:58
S33	33	("first instruction" same "second instruction" same "third instruction" same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:18
S34	0	(programmable with "offset storage means") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:18
S35	3	(programmable with "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:28
S36	0	("interrupt vector" same "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:29
S37	0	((interrupt with vector) same "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 14:29

S38	9	((interrupt with vector) same (offset with storage)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 16:17
S39	4173	((computer with disk) same (program with code)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 16:20
S40	1836	((((computer with disk) with (program with code))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/31 16:23
S41	98	((((computer with disk) with (program with code)) same (well-known "well known")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 08:24
S42	1	((((computer with "data signal") with (program with code)) same (well-known "well known")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 08:25
S43	442	((((computer with "data signal") with (program with code))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 08:26
S44	226	((((computer with "data signal") with (program with code)) same "transmission medium") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/01 08:26
S45	225	((((computer with "data signal") with (program with code)) with "transmission medium") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:16
S46	1	("vector table" same "interrupt register" same programmable) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:21
S47	127	("interrupt register" same programmable) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:21

S48	6	("interrupt register" same programmable with priorit\$3) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:45
S49	2	"6332181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:40
S50	0	("interrupt register" same "intermediate priorit\$3") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S51	0	("intermediate priorit\$3") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S52	0	("interrupt register" same "intermediate priorities") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S53	0	("interrupt register" same "intermediate priority") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S54	202	("intermediate priorities") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:47
S55	202	("intermediate priority") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S56	202	S54 S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:46
S57	173	("intermediate priority" not "intermediate priority level") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/05 10:48

S58	91	("6081867" "5555413" "5197138" "4488220" "4489380" "5506997" "5659759" "5438681" "5737613" "6061709" "6061709" "5357628" "5301312" "5437039" "5528767" "5636362" "4628449" "5471620" "6021458" "4533994" "5280618" "5491799" "5740183" "6016554" "4034349" "4255786" "4275458" "4349873" "5027290" "5218703" "5261107" "5291603" "5371742" "5559988" "5802343" "5809541" "5956742" "5987258" "6298410" "5649213" "5721937" "6230255" "5428790" "5455909" "5560024" "5603035" "6192441" "6223245" "6223245" "5187791").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 13:37
S59	0	((((internal core) adj2 interrupt) same "programmable priority") and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 14:15
S60	3	((((internal core) adj2 interrupt) same (programmable with priority)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 15:05
S61	149	((interrupt exception) with "priority register") and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 14:38
S62	7	((core internal) with (interrupt exception) with "priority register") and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 14:52
S63	2	((interrupt exception) adj register with (priority adj registers)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 14:52
S64	179	((programmable with priority with register)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 15:06

S65	41	((interrupt exception) same (programmable with priority with register)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/08 15:07
S66	814	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:37
S70	240	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:38
S71	39	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:38
S72	221	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 07:38
S73	413	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 08:10
S74	4167	(program\$5 same external same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:02
S75	1301	(program\$5 with external with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:02
S76	702	(program\$5 with external near3 interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:02
S77	246	(program\$5 near3 (external near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:03

S78	14	(program\$5 near3 (external near3 interrupt) with (priority level)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 11:27
S79	72	(program\$5 with (external near3 interrupt) with (priority level)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:04
S80	4	(program\$5 near3 (external near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 12:58
S81	175	((external near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 12:58
S82	175	((external (offchip off-chip "off chip") near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 14:01
S83	190	(program\$5 near3 ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:13
S84	68	((vector with table) same ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:31
S85	9	((("priority register") same ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 13:31
S86	18	((external (offchip off-chip "off chip") with "fixed priority") and @ad< ""20011012""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 14:02
S87	4	"4626985".pn. "6401154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 07:44

S88	3	(((((internal core) adj2 interrupt) same (programmable with priority))) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 07:53
S89	44	((programmable with interrupt with (priority level weight)) and (nmi with reset)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/29 08:41
S90	8	("4734882" "5225974" "5487002" "5594905" "5894578" "5923887").PN. OR ("6499078").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/29 10:46
S91	93	((programmable) same fixed same (priorit\$3 weight\$3 level \$1) same (interrupt exception trap)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:42
S92	15	((configurable) with (priorit\$3 weight\$3 level\$1) with (interrupt exception trap)) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:43
S93	292	((priority with register) same (vector with register) same interrupt) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:36
S94	32	((priority near3 register) same (vector with address with register) same interrupt) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 14:43
S95	2	("20050027316").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:43
S96	15	US-4296470-\$.D.ID. OR US-5386563-\$.D.ID. OR US-5603035-\$.D.ID. OR US-5615348-\$.D.ID. OR US-5797036-\$.D.ID. OR US-6223279-\$.D.ID. OR US-6470435-\$.D.ID. OR US-6499078-\$.D.ID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:26
S97	831	(710/260.cds.) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50

S98	41	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50
S99	248	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50
S100	230	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50
S101	425	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:50
S102	12	((((internal core) adj2 interrupt) same (software with priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 14:06
S103	86	("core interrupt") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:17
S104	2	("core interrupt" same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:19
S105	855	(core with timers) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:20
S106	2	("single core" with timers) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:19
S107	3	(core with timers with combined) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:27

S108	136	(combined with core with (cpu processor mpu)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/16 15:28
S109	43	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:33
S110	845	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:33
S111	251	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:33
S112	234	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:33
S113	433	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:43
S114	6	("5701493" "5758112" "6477562").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:46
S115	6	((("20020018466") or ("7020879") or ("6778506")). FN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 09:48
S116	3	galinas.in. and mips	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 10:26
S117	884	galinas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 09:53

S118	7	("6477562" "6292888" "6389449").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 10:27
S119	4	"6539448".pn. "5115506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:34
S120	255	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:56
S121	44	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:56
S122	235	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:57
S123	438	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:57
S124	856	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 15:57
S125	2	"5459662".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 10:33
S126	2	"5459682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/27 10:33
S127	16	("5155853" "5481719" "5613151" "5682546" "6081867" "6094730" "6574693" "6651126").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 14:06

S128	109	uhler-g\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/08 14:06
S129	2	"6178482".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 14:36
S130	865	(710/260.cds.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S131	256	(710/264.cds.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S132	44	(710/265.cds.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S133	236	(710/266.cds.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S134	40	"4001783".URPN.	USPAT	OR	ON	2008/09/11 16:39
S135	2055	(((((internal core) with interrupt) same ((external peripheral with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S136	365	(((((internal core) with interrupt) same ((external peripheral) with interrupt)) same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S137	4	(((((internal core) with interrupt) same ((external peripheral) with interrupt)) same ((adjust\$4 program\$5) adj priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S138	66	(((((internal core) adj interrupt) same ((external peripheral) adj interrupt)) same (priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S139	284	(interrupt same "priority encoder") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S140	22	("performance counter interrupt") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S141	460	("performance counter") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S142	56	("performance counter" same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S143	34	((("performance counter" same interrupt) and @ad< "20011012") not ((("performance counter interrupt") and @ad< "20011012"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S144	42	("interrupt priority register") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S145	21	("interrupt prioritizer") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S146	76	((((sixteen "16") with "interrupt priorities")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S147	4	((((sixteen "16") with "interrupt priorities") same ((four "4") with bit)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S148	47	((((sixteen "16") with ("interrupt priorities" "interrupt levels")) same ((four "4") with bit)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S149	54	(register with interrupt with privileged) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S150	0	(register with interrupt with privileged same kernal) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S151	6	(register with interrupt with privileged same kernel) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S152	295	((eight "8" with ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S153	69	((eight "8" adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S154	0	((sixteen "16" nine "9" adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with ((core internal) adj interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S155	3	((sixteen "16" nine "9" with ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") same ((core internal) adj interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S156	3	((sixteen "16" nine "9" same ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities") with ((core internal) adj interrupt))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S157	15	((((sixteen "16" nine "9" adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) same (core internal) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S158	166	((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S159	151	((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) and @ad< "20011012") not (((sixteen "16" nine "9") adj ("priority levels" "priority values" "interrupt levels" "interrupt values" "interrupt priorities")) same (core internal)) and @ad< "20011012")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S160	0	("first instruction" same "second instruction" same "third instruction" same interrupt same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S161	1506	("first instruction" same "second instruction" same "third instruction") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S162	36	("first instruction" same "second instruction" same "third instruction" same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S163	0	(programmable with "offset storage means") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S164	3	(programmable with "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S165	0	("interrupt vector" same "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S166	0	((interrupt with vector) same "offset storage") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S167	9	((interrupt with vector) same (offset with storage)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S168	5662	((computer with disk) same (program with code)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S169	2532	((((computer with disk) with (program with code))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S170	151	((((computer with disk) with (program with code)) same (well-known "well known")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S171	1	((((computer with "data signal") with (program with code)) same (well-known "well known")) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S172	667	((((computer with "data signal") with (program with code))) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S173	392	((((computer with "data signal") with (program with code)) same "transmission medium") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S174	391	((((computer with "data signal") with (program with code)) with "transmission medium") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S175	1	("vector table" same "interrupt register" same programmable) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S176	127	("interrupt register" same programmable) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S177	6	("interrupt register" same programmable with priorit\$3) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S178	2	"6332181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S179	0	("interrupt register" same "intermediate priorit\$3") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S180	0	("intermediate priorit\$3") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S181	0	("interrupt register" same "intermediate priorities") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S182	0	("interrupt register" same "intermediate priority") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S183	238	("intermediate priorities") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S184	238	("intermediate priority") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S185	238	S183 S184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S186	207	("intermediate priority" not "intermediate priority level") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S187	93	("6081867" "5555413" "5197138" "4488220" "4489380" "5506997" "5659759" "5438681" "5737613" "6061709" "6061709" "5357628" "5301312" "5437039" "5528767" "5636362" "4628449" "5471620" "6021458" "4533994" "5280618" "5491799" "5740183" "6016554" "4034349" "4255786" "4275458" "4349873" "5027290" "5218703" "5261107" "5291603" "5371742" "5559988" "5802343" "5809541" "5956742" "5987258" "6298410" "5649213" "5721937" "6230255" "5428790" "5455909" "5560024" "5603035" "6192441" "6223245" "6223245" "5187791").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S188	0	((((internal core) adj2 interrupt) same "programmable priority") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S189	3	((((internal core) adj2 interrupt) same (programmable with priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S190	156	((interrupt exception) with "priority register") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S191	7	((core internal) with (interrupt exception) with "priority register") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S192	2	((interrupt exception) adj register with (priority adj registers!)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S193	190	((programmable with priority with register)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S194	43	((interrupt exception) same (programmable with priority with register)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S195	865	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S196	256	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S197	44	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S198	236	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S199	445	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S200	4286	(program\$5 same external same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S201	1335	(program\$5 with external with interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S202	731	(program\$5 with external near3 interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S203	252	(program\$5 near3 (external near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S204	16	(program\$5 near3 (external near3 interrupt) with (priority level)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S205	76	(program\$5 with (external near3 interrupt) with (priority level)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S206	5	(program\$5 near3 (external near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S207	182	((external near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S208	182	((external (offchip off-chip "off chip") near3 interrupt) with (priority level) same ((internal core) with interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S209	192	(program\$5 near3 ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S210	69	((vector with table) same ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S211	9	((("priority register") same ((internal core) near3 interrupt)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S212	18	((external (offchip off-chip "off chip") with "fixed priority") and @ad< ""20011012""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S213	4	"4626985".pn. "6401154".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S214	3	((internal core) adj2 interrupt) same (programmable with priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S215	44	((programmable with interrupt with (priority level weight)) and (nmi with reset)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S216	14	("4734882" "5225974" "5487002" "5594905" "5894578" "5923887").PN. OR ("6499078").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/11 16:39
S217	97	((programmable) same fixed same (priorit\$3 weight\$3 level \$1) same (interrupt exception trap)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S218	20	((configurable) with (priorit\$3 weight\$3 level\$1) with (interrupt exception trap)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S219	294	((priority with register) same (vector with register) same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S220	32	((priority near3 register) same (vector with address with register) same interrupt) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S221	2	("20050027316").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 16:39
S222	16	US-4296470-\$.D.ID. OR US-5386563-\$.D.ID. OR US-5603035-\$.D.ID. OR US-5615348-\$.D.ID. OR US-5797036-\$.D.ID. OR US-6223279-\$.D.ID. OR US-6470435-\$.D.ID. OR US-6499078-\$.D.ID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S223	865	(710/260.cds.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S224	44	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S225	256	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S226	236	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S227	445	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S228	12	((((internal core) adj2 interrupt) same (software with priority)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S229	89	("core interrupt") and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S230	2	("core interrupt" same priority) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S231	881	(core with timers) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S232	2	("single core" with timers) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S233	3	(core with timers with combined) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S234	154	(combined with core with (cpu processor mpu)) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S235	44	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S236	865	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S237	256	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S238	236	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S239	445	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S240	6	("5701493" "5758112" "6477562").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S241	6	((("20020018486") or ("7020879") or ("6778506")). FN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/11 16:39
S242	4	galinas.in. and mips	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S243	1085	galinas.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S244	6	("6477562" "6292888" "6389449").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S245	4	"6539448".pn. "5115506".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S246	256	(710/264.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S247	44	(710/265.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S248	236	(710/266.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S249	445	(712/244.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S250	865	(710/260.ccls.) and @ad< "20011012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S251	2	"5459662".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S252	2	"5459682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S253	16	("5155853" "5481719" "5613151" "5682546" "6081867" "6094730" "6574693" "6651126").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

S254	111	uhler-g\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39
S255	2	"6178482".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/11 16:39

9/ 12/ 08 7:26:15 AM

C:\Documents and Settings\tcleary\My Documents\EAST\Workspaces\09977089.wsp